Author Index

VOLUME 18, 2001

Aboul-Hosn, Loubna, 99
Adair, C. David, 387
Aldana-Valenzuela, Carlos, 379
Al-Kouatly, Huda B., 151
Alvarez-Muñoz, Teresa, 379
André, Patrick, 79
Anyane-Yeboa, Kwame, 373
Athanassiou, Achilles, 225
Axt, Roland, 415

Babinszki, Agota, 203
Baier, John, 387
Bald, Rainer, 335
Ballesteros-Trujillo, Angel, 379
Ballmaier, Matthias, 335
Bancalari, Eduardo, 1
Barrilleaux, P. Scott, 387
Bartmann, Peter, 335
Bauer, Rachel, 433
Beatrice, Sara T., 49
Beiner, Mario, 427
Bender, Jean, 459
Bernstein, Peter S., 163
Berry, Stanley M., 93, 451
Besinger, Richard E., 87
Bhandari, Vineet, 169
Bhola, Monika, 87
Blackwell, Sean C., 93, 451
Blanc, Nathalie, 79
Bougatef, Adel, 113
Brown, R.T., 459

Cámara, Miguel, 155
Campbell, Deborah E., 117
Casteels, Ann, 113
Chasen, Stephen T., 151
Chervenak, Frank A., 151
Chung, Mei-Yung, 421
Clark, William, 175
Cohen, Shlomo B., 427
Copel, Joshua A., 465
Copperman, Alan B., 203
Coşkun, Mesut, 279
Cremer, Malte, 335
Cruz, Adriano, 363
Cushman, Mary, 195

Daffos, Fernand, 363
d'Allest, Anne Marie, 79
D'Alton, Mary E., 225
Dame, Christof, 335
D'Amico, Mary Lou, 129
Day, Ronald W., 185
De Bock, Sonja, 113
De Catte, Luc, 113
Dehan, Michel, 79
Delavaucoupet, Jocelyne, 79
Demas, Penelope, 49
De Schepper, Jean, 113
Devine, Patricia C., 225
Devlieger, H., 11
Devriendt, K., 11
Diallo, Patricia, 363
Dirnberger, Daniel R., 267
D'Netto, Marita A., 459
Dollberg, Shaul, 103, 433
Doyle, Lex W., 313

Eliakim, Rami, 107
Elizur, Shai E., 427
Enriquez, Elizabeth, 49
Ertan, A. Kubilay, 415

Fahnenstich, Hubert, 335
Fermont, Laurent, 363
Ferrer, Guillermo, 155
Fiascone, John, 293
Fleischman, Alan R., 117
Foulon, Walter, 113
Frager, David, 107
Furukawa, Susumu, 237

Gainey, Andrea J., 159
Gallo, José L., 155
Gamba, Piergiorgio, 357
Gaunt, Glenn, 299
Gillis, P., 11
Glantz, Chris, 129
Goldenberg, Mordechai, 427
Gordon, Michael C., 267
Graf, Matthias, 39
Gregory, Kimberly, 397
Grismondi, Gianluigi, 357

Grisso, Jeane Ann, 195
Grover, Shabnam Bhandari, 441
Gupta, Richa, 217
Güra, Aşkin, 279

Hadad, E., 393
Harvey-Wilkes, Karen, 225
Hassan, Sonia S., 93, 451
Hendrik, H. Joachim, 415
Henschke, Philip, 313
Herson, Victor C., 459
Hlavin, Sally M., 345
Hobel, Calvin, 397
Huang, Chung-Bin, 421
Huang, Yhu-Chering, 141
Hurley, John F., 169

Ingardia, Charles J., 159
Ishimoto, Hitoshi, 447
Itakura, Atsuo, 241

Jacquemard, François, 363
Jog, Sunila, 287
Jordan, Sarah, 203
Juretschke, Linda J., 87

Kao, Hsiu-Tsun, 141
Katayama, Kumiko, 237
Kato, Hiroshi, 237
Khalaf, Mohammad N., 169
Khalil, Ali, 99
Kieffer, François, 363
Koga, Mayumi, 237
Koh, Guan, 287
Kruger, Tom, 387
Kuo, An-Jin, 141

Lacaze-Masmonteil, Thierry, 79
Lahav, Sigalit, 103
Langkamp, Diane L., 345
Le Bidois, Jérome, 363
Levy, Ronaldo, 363
Lewis, David F., 387
Lin, Tzou-Yien, 141
Linderkamp, Otwin, 39
Lubetzky, Ronit, 433

Copyright © 2001 by Thieme Medical Publishers, Inc., 333 Seventh Avenue, New York, NY 10001, USA. Tel: +1(212) 584-4662.

Maayan-Metzger, A., 393
Magny, Jean François, 363
Magriples, Urania, 163, 465
Malone, Fergal D., 225
Martin, Rick W., 73
Martin, Jr., James N., 73
Martínez-Ossa, Rafael, 155
Mashiach, Shlomo, 427
Matsuoka, Takashi, 237
May, Warren L., 73
Mehr, Sam S., 313
Midrio, Paola, 357
Miles, A.M., 137
Mimouni, Francis B., 103, 433
Minegishi, Kazuhiro, 447
Mirlesse, Véronique, 363
Miyakoshi, Kei, 447
Miyazaki, Toyohiko, 447
Mizutani, Shigehiko, 241
Moerman, Ph., 11
Monga, M., 137
Mukherjee, Tanmoy, 203
Mumcu, Yelda, 279
Muraskas, Jonathan K., 87

Nakata, Masahiko, 237
Nassar, Anwar, 99
Nasseri, Ali, 203
Naulaers, G., 11
Naylor, C. Scott, 397
Nelson, Deborah B., 195
Ness, Roberta B., 195
Niknafs, Parvin, 325
Novikov, Ilya, 427
Nyari, Tibor, 203

O'Donovan, Donough, 175
Ogunyemi, Dotun, 15
Ohno, Yasumasa, 241
Oleszko, William, 49
Oygür, Nihal, 279

Paes, Bosco A., 147, 353
Patole, Sanjay, 287
Pelidis, Maria, 293
Pinchasik, Dawn, 59
Pitton, Maria-Angela, 357
Poeschl, Johannes, 39
Puliyel, Jacob M., 217

Rambaud, Caroline, 79
Ramin, Kirk D., 245, 299
Ramin, Susan M., 245
Ramsey, Patrick S., 245
Ratan, Simmi K., 441
Refuerzo, Jerrie S., 93, 451
Rice, Greg E., 313
Richeson, K.S., 137
Rinehart, Brian K., 73
Rosengren, Sally, 159

Salvadori, Sabrina, 357
Sase, Masakatsu, 237
Schiff, Eyal, 427
Schild, Ralf L., 335
Schmidt, Werner, 415
Schoenbaum, Ellie E., 49
Seoud, Muhieddine, 99
Sergi, Consolato, 39
Shah, Jay K., 353
Shane, Heather, 373
Shanker, Renee, 49
Sherer, David M., 23, 107, 373
Sibbald, John, 325
Sirota, L., 393
Smitz, Johan, 113
Sorokin, Yoram, 93, 451
Spector, Elaine, 159
Sreenivas, V., 217
Su, Chin-Tien, 421
Suma, Vincenzo, 357

Takeda, Kanae, 237
Tanaka, Mamoru, 447
Tanigaki, Sinji, 447
Tanriverdi, H. Alper, 415
Terrone, Dom A., 73
Thébaud, Bernard, 79
Thomas, Ramani D., 217
Tsukahara, Yojiro, 241
Tunga, Mustafa, 279

Usta, Ihab, 99

Vachharajani, Akshaya J., 147, 353
Vanbesien, Jesse, 113
Vanhole, C., 11
Vargas-Origel, Arturo, 379
Vervaart, Peter, 313
Voyer, Marcel, 363

Walter, Sara, 217
Wang, Yuping, 387
Wax, Joseph R., 159
Webber, Mayris P., 49
Weinschenk, Nancy, 293
Weiss, Marc G., 87
Whitehall, John, 287
Wolfe, Honor M., 93, 451

Yeğin, Olcay, 279
Yeşilipek, Akif, 279
Yoder, Bradley A., 267
Yoshimura, Yasunori, 447
Yosipovitch, G., 393

Zadra, Nicola, 357
Zeeman, Gerda G., 213
Zupan, Véronique, 79

Subject Index

VOLUME 18, 2001

Abortion, spontaneous, influence of hemostatic factors on, 195–202
Acceleration of lung maturation, chronic lung disease of prematurity and, 4
Accuracy
  precision of new thermometer for rapid rectal temperature measurement in neonates and, 103–106
  of single ultrasound parameters in detection of fetal growth restriction, 325–334
Acidemia
  fetal, nucleated red blood cell counts in term neonates with umbilical artery pH less than or equal to 7.00 and, 93–98
  pathological, nucleated red blood cell counts in term neonates with umbilical artery pH less than or equal to 7.00 and, 93–98
Acute fetal distress, spontaneous umbilical cord hematoma as rare cause of, 99–102
Acute inflammatory demyelinating polyradiculoneuropathy in early pregnancy, 213–216
Acyclovir, pregnant woman treated with, for herpes simplex encephalitis, chromosomal mosaicism in, 179–184
Adverse perinatal outcome of twin pregnancies according to chorionicity, 23–38
Aerosol, albuterol, delivered via metered dose inhaler-spacer device (MDI) versus jet nebulizer in ventilated preterm neonates, prospective controlled trial of, 169–174
AFI. *See* Amniotic fluid index
AGA infants. *See* Appropriate-for-gestational age infants
Agenesis, lung, in neonate presenting with contralateral mediastinal shift, 441–446
Albinism, oculocutaneous, DNA diagnosis and management of Hermansky–Pudlak syndrome in pregnancy and, 159–162
Albuterol aerosol delivered via metered dose inhaler-spacer device (MDI) versus jet nebulizer in ventilated preterm neonates, prospective controlled trial of, 169–174
Alloimmune thrombocytopenia, fetal, concentrations of thrombopoietin and interleukin-11 in umbilical cord blood of patients with, 335–344
Amiodarone, direct fetal administration of, for drug resistant fetal tachycardia, transient fetal hypothyroidism due to, 113–116
Amniotic fluid index (AFI), lack of relationship between variable decelerations during reactive nonstress tests and oligohydramnios and, 129–135
Aneurysm of ductus arteriosus in neonate with 13q-deletion, 11–14
Antenatal corticosteroids, repetitive, single versus repeated-course antenatal corticosteroids and, 267–278
Antenatal corticosteroids, single versus repeated-course, in singleton and multiple-gestation pregnancies, 267–278
Antenatal diagnosis, ultrasonographic femur–tibial length ratio as marker of Down syndrome from late second trimester and, 217–224
Antenatal screening, risk factor assessment versus universal screening for gonorrhea and chlamydia in third trimester and, 465–468
Antenatal steroids
  neonatal-perinatal risk factors for development of persistent pulmonary hypertension of newborn in preterm newborns and, 87–92
  repetitive, single versus repeated-course antenatal corticosteroids and, 267–278
Antenatal testing, adverse perinatal outcome of twin pregnancies according to chorionicity and, 23–38
Antepartum fetal testing in preterm patient, premature rupture of membranes and, 400–401
Antibiotics, premature rupture of membranes and, 404–405
Antibody
  anti-RNP, neonatal lupus erythematosus in association with, 421–426
  anti-SSA/Ro, neonatal lupus erythematosus in association with anti-RNP antibody and, 421–426
  anti-SSB/La, neonatal lupus erythematosus in association with anti-RNP antibody and, 421–426
  blocking, immunological tolerance of human fetus and, 305
  immunological tolerance of human fetus and, 299–312
Anticoagulant therapy and thrombolytic therapy, combination, for bilateral renal vein thrombosis in premature infant, 293–297
Antifungal susceptibility testing and correlation with clinical outcome in neonatal candidemia, 141–146
Antigen
  factor VII, influence of hemostatic factors on spontaneous abortion and, 195–202
  MHC-I, immunological tolerance of human fetus and, 303
Anti-RNP antibody, neonatal lupus erythematosus in association with anti-RNP antibody and, 421–426
Anti-SSA/Ro antibodies, neonatal lupus erythematosus in association with anti-RNP antibody and, 421–426
Anti-SSB/La antibodies, neonatal lupus erythematosus in association with anti-RNP antibody and, 421–426

Copyright © 2001 by Thieme Medical Publishers, Inc., 333 Seventh Avenue, New York, NY 10001, USA. Tel: +1(212) 584-4662.

Aortic insufficiency, cardiac disease in pregnancy and, 254
Aortic regurgitation, cardiac disease in pregnancy and, 254
Aortic stenosis, cardiac disease in pregnancy and, 253–254
Appendicular cystadenocarcinoma, mucinous, and pregnancy, 155–158
Appropriate-for-gestational age (AGA) infants, neonatal blood chemistry reference ranges using nova M electrodes and, 433–439
Arrhythmias, cardiac disease in pregnancy and, 259
Artery, umbilical. *See* Umbilical artery
ASD. *See* Atrial septal defect
Asphyxia, birth, transient hyperinsulinism in asphyxiated newborn infant with hypoglycemia and, 175–178
Asphyxiated newborn infant with hypoglycemia, transient hyperinsulinism in, 175–178
Atrial septal defect (ASD), cardiac disease in pregnancy and, 254–255

B19, human parvovirus, in cord blood of premature infants, 237–240
Bacterial infection, newborn, interleukin-6 and interleukin-8 in, 313–324
BD. *See* Behcets disease
Behcets disease (BD), neonatal, unusual presentation of, 287–292
Bilateral renal vein thrombosis in premature infant, combination thrombolytic and anticoagulant therapy for, 293–297
Biochemical fetal pulmonary studies, relationship between fetal pulmonary maturity assessment and neonatal outcome in premature rupture of membranes at 32–34 weeks' gestation and, 451–458
Bioprosthetic/mechanical heart valves, cardiac disease in pregnancy and, 259–261
Birth asphyxia, transient hyperinsulinism in asphyxiated newborn infant with hypoglycemia and, 175–178
Birth order, prenatal and neonatal, in twin pregnancy, correlation between, 151–154
Birth weight, twin pregnancies and, 30–31
Birth weight discordancy, outcome of twin pregnancies with extreme weight discordancy and, 427–432
Bladder outlet obstruction, prenatal sonographic diagnosis of, caused by ureterocele associated with hydrocolpos and imperforate hymen, 15–22
Blocking antibody, immunological tolerance of human fetus and, 305
Blood
  cord. *See* Umbilical cord blood
  venous, reappraisal of neonatal blood chemistry reference ranges using nova M electrodes and, 433–440
Blood cell counts, thrombopoietin and interleukin-11 concentrations in umbilical cord blood of patients with fetal alloimmune thrombocytopenia, 337
Blood chemistry reference ranges, neonatal, reappraisal of, using nova M electrodes, 433–440
Blood flow velocity, cerebral, acute decrease in, in newborns who respond to inhaled nitric oxide, 185–194
Blood gas measurements, cerebral blood flow velocity in newborns and, 186–193
Blood sampling, thrombopoietin levels of thrombocytopenic term and preterm newborns with infection and, 281
BPD. *See* Bronchopulmonary dysplasia
Breast feeding, feeding of premature infant and, 59–72
Bronchopulmonary dysplasia (BPD), changes in pathogenesis and prevention of chronic lung disease of prematurity and, 1–10
Bruising, scrotal, spontaneous rupture of liver presenting as, 147–150

Candidemia, neonatal, antifungal susceptibility testing and correlation with clinical outcome in, 141–146
Carbohydrate, parenteral nutrition of premature infant and, 64–66
Cardiac anomalies, fetal, perinatal management of, in specialized obstetric-pediatrics center, 363–372
Cardiac disease in pregnancy, 245–266
Cardiac transplantation, cardiac disease in pregnancy and, 261–262
Cardiomyopathy
  peripartum, cardiac disease in pregnancy and, 252–253
  in pregnancy, retrospective study of, 163–168
Cardiovascular adaptations of pregnancy, 246–247
Catheter, percutaneous line, unilateral diaphragmatic palsy in association with subclavian vein thrombus in very-low-weight infant and, 459–464
Cerclage, cervical, premature rupture of membranes and, 408
Cerebral blood flow velocity, acute decrease in, in newborns who respond to inhaled nitric oxide, 185–194
Cerebral circulation, decrease in cerebral blood flow velocity in newborns who respond to inhaled nitric oxide and, 185–194
Cerebral palsy, late-onset cystic periventricular leukomalacia in premature infants and, 79–86
Cervical cerclage, premature rupture of membranes and, 408
Chlamydia in third trimester, risk factor assessment versus universal screening for, 465–467
Chorionicity
  adverse perinatal outcome of twin pregnancies according to, 23–38
  perinatal outcome and, 27–28
  ultrasonographic depiction of, first-trimester, twin pregnancies and, 25–26
Chromosomal mosaicism in pregnant woman treated with acyclovir for herpes simplex encephalitis, 179–184
Chromosome 13, aneurysm of ductus arteriosus in neonate with 13q-deletion and, 11–14
Chronic lung disease (CLD) of prematurity, changes in pathogenesis and prevention of, 1–10
Circulation, cerebral, decrease in cerebral blood flow velocity in newborns who respond to inhaled nitric oxide and, 185–194
CLD. *See* Chronic lung disease
Clinical management, premature rupture of membranes and, 397–413
Clinical outcome, antifungal susceptibility testing and correlation with, in neonatal candidemia, 141–146
Coagulation, influence of hemostatic factors on spontaneous abortion and, 195–202
Coarctation of aorta, cardiac disease in pregnancy and, 251–252
Colostomy, unusual case of diverticulitis complicating pregnancy at 33 weeks' gestation and, 107–112

Combination thrombolytic and anticoagulant therapy for bilateral renal vein thrombosis in premature infant, 293–297
Complement regulatory proteins, immunological tolerance of human fetus and, 305–306
Compliance with palivizumab in high-risk infants, factors predicting, 345–352
Concentrations of thrombopoietin and interleukin-11 in umbilical cord blood of patients with fetal alloimmune thrombocytopenia, 335–344
Congenital contractural syndromes, lethal, restrictive dermopathy and, 39–48
Congenital diaphragmatic eventration, prenatal diagnosis of, by magnetic resonance imaging, 241–244
Congenital heart disease
  aneurysm of ductus arteriosus in neonate with 13q-deletion and, 11–14
  perinatal management of fetal cardiac anomalies in specialized obstetric-pediatrics center and, 363–372
Congenital human immunodeficiency virus infection, pilot study of expedited HIV-1 testing of women in labor at inner-city hospital in New York City and, 49–57
Consecutive triplet pregnancies, maternal and neonatal outcome of, 225–235
Contractural syndromes, lethal congenital, restrictive dermopathy and, 39–48
Contralateral mediastinal shift, neonates presenting with, lung agenesis in, 441–446
Cord, umbilical. *See* Umbilical cord blood
Cord blood. *See* Umbilical cord blood
Corticosteroids
  antenatal, single versus repeated-course, in singleton and multiple-gestation pregnancies, 267–278
  chronic lung disease of prematurity and, 6
  premature rupture of membranes and, 405–406
Counseling, preconceptual, cardiac disease in pregnancy and, 245–266
CRL. *See* Crown-rump length
Crown-rump length (CRL), three-dimensional measurement of gestational and yolk sac volumes as predictors of pregnancy outcome in first trimester and, 203–211
Cyanotic heart disease, cardiac disease in pregnancy and, 257–258
Cyst, ovarian, in premature infant treated with spironolactone, 353–356
Cystadenocarcinoma, mucinous appendicular, 155–158
Cystic periventricular leukomalacia, late-onset, in premature infants, 79–86
Cytokines, interleukin-6 and interleukin-8 in newborn bacterial infection and, 313–324

Dandy–Walker malformation, transvaginal ultrasonographic diagnosis of, in first trimester, 373–378
DCM. *See* Dilated cardiomyopathy
Death, fetal, of one twin, twin pregnancies and, 31–32
Decelerations, variable, during reactive nonstress tests and oligohydramnios, lack of relationship between, 129–136
Decision-making
  delivery of care to vulnerable infant and, 122–126
  limits of viability and, 117–128
Deletion, aneurysm of ductus arteriosus in neonate with 13q-deletion and, 11–14
Delivery
  gestational age at, twin pregnancies and, 31
  timing of, of preterm patient, premature rupture of membranes and, 402–403
Demographics, fetal pulmonary maturity assessment and neonatal outcome and, 453
Demyelinating polyradiculoneuropathy, acute inflammatory, in early pregnancy, 213–216
Dermopathy, restrictive, case report, subject review with Kaplan–Meier analysis, and differential diagnosis of lethal congenital contractural syndromes and, 39–48
Diagnosis
  antenatal, ultrasonographic femur–tibial length ratio as marker of Down syndrome from late second trimester and, 217–224
  prenatal. *See* Prenatal diagnosis
Diaphragm paralysis, unilateral diaphragmatic palsy in association with subclavian vein thrombus in very-low-birth-weight infant and, 459–464
Diaphragmatic eventration
  congenital, prenatal diagnosis of, by magnetic resonance imaging, 241–244
  lung agenesis in neonate presenting with contralateral mediastinal shift and, 441–446
Diaphragmatic palsy, unilateral, in association with subclavian vein thrombus in very low birth weight infant, 459–464
Dichorionic twins, twin-twin transfusion in, 32–33
Dilated cardiomyopathy (DCM) in pregnancy, 163–168
Direct fetal administration of amiodarone for drug resistant fetal tachycardia, transient fetal hypothyroidism due to, 113–116
Diverticulitis as complication of pregnancy at 33 weeks' gestation, 107–112
DNA
  human parvovirus B19 in cord blood of premature infants and, 239
  and management of Hermansky–Pudlak syndrome in pregnancy, 159–162
Doppler ultrasonography, decrease in cerebral blood flow velocity in newborns who respond to inhaled nitric oxide and, 185–194
Down syndrome (DS), ultrasonographic femur–tibial length ratio as marker of, from late second trimester, 217–224
Drug resistant fetal tachycardia, transient fetal hypothyroidism due to direct fetal administration of amiodarone for, 113–116
Drug-nutrient interaction, parenteral nutrition of premature infant and, 69
DS. *See* Down syndrome
Ductus arteriosus
  aneurysm of, in neonate with 13q-deletion, 11–14
  decrease in cerebral blood flow velocity in newborns who respond to inhaled nitric oxide and, 185–194
Dysplasia, bronchopulmonary, changes in pathogenesis and prevention of chronic lung disease of prematurity and, 1–10

Early pregnancy, acute inflammatory demyelinating polyradiculoneuropathy in, 213–216
Echocardiography, decrease in cerebral blood flow velocity in newborns who respond to inhaled nitric oxide and, 185–194
Eisenmenger syndrome, cardiac disease in pregnancy and, 256–257
ELBW infants. *See* Extremely low-birth-weight infants
Electrodes, nova M, reappraisal of neonatal blood chemistry reference ranges using, 433–440
ELISA. *See* Enzyme-linked immunoadsorbent assay
Encephalitis, herpes simplex, chromosomal mosaicism in pregnant woman treated with acyclovir for, 179–184
Enzyme-linked immunoadsorbent assay (ELISA)
  detection of interleukin-6 in maternal plasma predicts neonatal and infectious complications in preterm premature rupture of membranes and, 387–391
  neonatal lupus erythematosus in association with anti-RNP antibody and, 421–426
ET. *See* External tocodynamometry
Ethics
  delivery of care to vulnerable infant and, 121
  perinatal, limits of viability and, 117–128
Eventration, diaphragmatic. *See* Diaphragmatic eventration
Ex utero intrapartum technique (EXIT) procedure in twin gestation, 357–362
EXIT procedure. *See* Ex utero intrapartum technique
Exogenous surfactant, chronic lung disease of prematurity and, 4–5
Expedited HIV-1 testing of women in labor at inner-city hospital in New York City, pilot study of, 49–57
External and internal monitoring of uterine activity, correlation of, in cohort of term patients, 137–140
External tocodynamometry (ET), correlation of external and internal monitoring of uterine activity in cohort of term patients and, 137–140
Extreme weight discordancy, outcome of twin pregnancies with, 427–432
Extremely low-birth-weight (ELBW) infants, viability and, 118–121

Factor VII antigen, influence of hemostatic factors on spontaneous abortion and, 195–202
FAITP. *See* Fetal alloimmune thrombocytopenia
Fat, parenteral nutrition of premature infant and, 64–66
Femur–tibial length ratio, ultrasonographic, as marker of Down syndrome from late second trimester, 217–224
Fetal acidemia, nucleated red blood cell counts in term neonates with umbilical artery pH less than or equal to 7.00 and, 93–98
Fetal administration, direct, of amiodarone, for drug resistant fetal tachycardia, transient fetal hypothyroidism due to, 113–116
Fetal alloimmune thrombocytopenia (FAITP), concentrations of thrombopoietin and interleukin-11 in umbilical cord blood of patients with, 335–344
Fetal biochemical pulmonary maturity assessment, 452–453
Fetal cardiac anomalies, perinatal management of, in specialized obstetric-pediatrics center, 363–372
Fetal death of one twin, twin pregnancies and, 31–32
Fetal distress, acute, spontaneous umbilical cord hematoma as rare cause of, 99–102
Fetal growth restriction, accuracy of single ultrasound parameters in detection of, 325–334
Fetal hypothyroidism, transient, due to direct fetal administration of amiodarone for drug resistant fetal tachycardia, 113–116
Fetal limb length, ultrasonographic femur–tibial length ratio as marker of Down syndrome from late second trimester and, 217–224
Fetal lung maturity indices, premature rupture of membranes and, 405
Fetal midgut volvulus, prenatal diagnosis of midgut volvulus by sonography and magnetic resonance imaging and, 447–450
Fetal pulmonary maturity assessment and neonatal outcome in premature rupture of membranes at 32–34 weeks' gestation, relationship between, 451–458
Fetal pulmonary studies, biochemical, relationship between fetal pulmonary maturity assessment and neonatal outcome in premature rupture of membranes at 32–34 weeks' gestation and, 451–458
Fetal surveillance in twin gestations, 24–25
Fetal tachycardia, drug resistant, transient fetal hypothyroidism due to direct fetal administration of amiodarone for, 113–116
Fetus, human, immunological tolerance of, 299–312
Fetus, immunological tolerance of, 299–312
Fibrinogen, influence of hemostatic factors on spontaneous abortion and, 195–202
First trimester
  growth discordancy in, twin pregnancies and, 29
  three-dimensional measurement of gestational and yolk sac volumes as predictors of pregnancy outcome in, 203–212
  transvaginal ultrasonographic diagnosis of Dandy–Walker malformation in, 373–378
  ultrasonographic depiction of chorionicity in, twin pregnancies and, 25–26
Fluid intake, chronic lung disease of prematurity and, 5
Fossa, posterior, first-trimester transvaginal ultrasonographic diagnosis of Dandy–Walker malformation and, 373–378
Four-dose schedule, response to hepatitis B vaccine in preterm infants and, 379–386
Futility, medical, delivery of care to vulnerable infant and, 122

GA. *See* Gestational age
Gentle ventilation, chronic lung disease of prematurity and, 5
Gestation, multiple. *See* Multiple gestation; Triplet pregnancy; Twin pregnancy
Gestational age (GA) at delivery, twin pregnancies and, 31
Gestational and yolk sac volumes, three-dimensional measurement of, as predictors of pregnancy outcome in first trimester, 203–212
Gonorrhea in third trimester, risk factor assessment versus universal screening for, 465–467
Growth discordancy
  first-trimester, twin pregnancies and, 29
  second-trimester, twin pregnancies and, 29–30

Growth restriction, fetal, accuracy of single ultrasound parameters in detection of, 325–334

Heart disease
congenital, perinatal management of fetal cardiac anomalies in specialized obstetric-pediatrics center and, 363–372
cyanotic, cardiac disease in pregnancy and, 257–258
Hematoma, umbilical cord, spontaneous, as rare cause of acute fetal distress, 99–102
Hemodynamic measurements, cerebral blood flow velocity in newborns and, 186–191
Hemoglobin, thrombopoietin and interleukin-11 concentrations in umbilical cord blood of patients with fetal alloimmune thrombocytopenia, 337
Hemorrhage, intraventricular, combination thrombolytic and anticoagulant therapy for bilateral renal vein thrombosis in premature infants and, 293–297
Hemorrhagic necrosis, prenatal diagnosis of midgut volvulus by sonography and magnetic resonance imaging and, 447–450
Hemostatic factors, influence of, on spontaneous abortion, 195–202
Hepatic herniation, lung agenesis in neonate presenting with contralateral mediastinal shift and, 441–446
Hepatitis B vaccine, response to, in preterm infants, four-dose schedule and, 379–386
Hermansky–Pudlak syndrome (HPS), DNA diagnosis and management of, in pregnancy, 159–162
Herniation, hepatic, lung agenesis in neonate presenting with contralateral mediastinal shift and, 441–446
Herpes simplex encephalitis, chromosomal mosaicism in pregnant woman treated with acyclovir for, 179–184
High-risk infants, compliance with palivizumab in, 345–352
HIV-1 testing, expedited, of women in labor at inner-city hospital in New York City, pilot study of, 49–57
HLA surface molecules, immunological tolerance of human fetus and, 303–304
HPS. *See* Hermansky–Pudlak syndrome
Human immunodeficiency virus (HIV), pilot study of expedited HIV-1 testing of women in labor at inner-city hospital in New York City and, 49–57
Human parvovirus B19 in cord blood of premature infants, 237–240
Hydration, skin, transepidermal water loss and, in preterm infants during phototherapy, 393–396
Hydrocolpos, ureterocele associated with, prenatal sonographic diagnosis of bladder outlet obstruction caused by, 15–22
Hygroma colli cysticum, prenatal diagnosis and prognosis for, 415–420
Hymen, imperforate, prenatal sonographic diagnosis of bladder outlet obstruction caused by, 15–22
Hyperinsulinism, transient, in asphyxiated newborn infant with hypoglycemia, 175–178
Hypertension
persistent pulmonary, of newborn
decrease in cerebral blood flow velocity in newborns who respond to inhaled nitric oxide and, 185–194
in preterm newborns, neonatal-perinatal risk factors for development of, 87–92
pregnancy induced, myth of transient hypertension and, 73–78
primary pulmonary, cardiac disease in pregnancy and, 255–256
transient, myth of, 73–78
Hypoglycemia, transient hyperinsulinism in asphyxiated newborn infant with, 175–178
Hypothyroidism, transient fetal, due to direct fetal administration of amiodarone for drug resistant fetal tachycardia, 113–116

IgA levels, serum, human parvovirus B19 in cord blood of premature infants and, 238
IgM levels, serum, human parvovirus B19 in cord blood of premature infants and, 238
Immune system, normal, structure and function of, immunological tolerance of human fetus and, 300–302
Immunological tolerance of human fetus, 299–312
Immunoreactivity
immunological tolerance of human fetus and, 299–312
locally reduced, immunological tolerance of human fetus and, 306–309
Imperforate hymen, ureterocele associated with, prenatal sonographic diagnosis of bladder outlet obstruction caused by, 15–22
Infant feeding, TPN and breast feeding in, 59–72
Infants
high-risk, compliance with palivizumab in, 345–352
intrauterine growth-restricted. See Intrauterine growth-restricted infants
low birth weight, factors predicting compliance with palivizumab in high-risk infants and, 345–352
newborn. *See* Neonates; Newborn infants
premature. *See* Premature infants; Prematurity
preterm. *See* Preterm infants
very low birth weight, unilateral diaphragmatic palsy in association with subclavian vein thrombus in, 459–464
Infections
bacterial, newborn, interleukin-6 and interleukin-8 in, 313–324
perinatal, chronic lung disease of prematurity and, 4
in preterm premature rupture of membranes, detection of interleukin-6 in maternal plasma in prediction of, 387–392
thrombopoietin levels of thrombocytopenic term and preterm newborns with, 279–286
Infectious morbidity, detection of interleukin-6 in maternal plasma predicts neonatal and infectious complications in preterm premature rupture of membranes and, 387–392
Inflammation, changes in pathogenesis and prevention of chronic lung disease of prematurity and, 1–10
Inflammatory demyelinating polyradiculoneuropathy, acute, in early pregnancy, 213–216
Inhaled nitric oxide, acute decrease in cerebral blood flow velocity in newborns who respond to, 185–194
Inner-city hospital in New York City, pilot study of expedited HIV-1 testing of women in labor at, 49–57

Interleukin-6
detection of, in maternal plasma, in prediction of neonatal and infectious complications, in preterm premature rupture of membranes, 387–392
and interleukin-8 in newborn bacterial infection, 313–324
Interleukin-11, concentrations of, in umbilical cord blood, of patients with fetal alloimmune thrombocytopenia, 335–344
Interleukin-8 and interleukin-6 in newborn bacterial infection, 313–324
Internal and external monitoring of uterine activity, correlation of, in term patients, 137–140
Intra-amniotic infection markers, premature rupture of membranes and, 403–404
Intrauterine growth-restricted (IUGR) infants
accuracy of single ultrasound parameters in detection of fetal growth restriction and, 325–334
chromosomal mosaicism in pregnant woman treated with acyclovir for herpes simplex encephalitis and, 179–183
Intrauterine pressure monitoring (IUPC), correlation of external and internal monitoring of uterine activity in cohort of term patients and, 137–140
Intraventricular hemorrhage, combination thrombolytic and anticoagulant therapy for bilateral renal vein thrombosis in premature infants and, 293–297
Iodine, transient fetal hypothyroidism due to direct fetal administration of amiodarone for drug resistant fetal tachycardia and, 113–116
IUGR infants. *See* Intrauterine growth-restricted infants
IUPC. *See* Intrauterine pressure monitoring

Jet nebulizer, albuterol aerosol delivered via metered dose inhaler-spacer device versus, in ventilated preterm neonates, prospective controlled trial of, 169–174

Kaplan–Meier analysis, restrictive dermopathy and, 39–48
Karyotyping
aneurysm of ductus arteriosus in neonate with 13q-deletion and, 11–14
hygroma colli cysticum and, 415–420

Labor, women in, pilot study of expedited HIV-1 testing of, at inner-city hospital in New York City, 49–57
Late-onset cystic periventricular leukomalacia in premature infants, 79–86
Legal precedents, delivery of care to vulnerable infant and, 121–122
Lethal congenital contractural syndromes, restrictive dermopathy and, 39–48
Leukomalacia, cystic periventricular, late-onset, in premature infants, 79–86
Limits of viability, 117–128
Liver, spontaneous rupture of, presenting as scrotal bruising, 147–150
Locally reduced immunoreactivity, immunological tolerance of human fetus and, 306–309
Low birth weight infants, factors predicting compliance with palivizumab in high-risk infants and, 345–352
Lung agenesis in neonate presenting with contralateral mediastinal shift, 441–446
Lung disease, chronic, of prematurity, changes in pathogenesis and prevention of, 1–10
Lung maturation, acceleration of, chronic lung disease of prematurity and, 4
Lupus, case of acute inflammatory demyelinating polyradiculoneuropathy in early pregnancy and, 213–216
Lymphangioma, EXIT procedure in twin gestation and, 357–362

Magnetic resonance imaging (MRI)
prenatal diagnosis of congenital diaphragmatic eventration by, 241–244
prenatal diagnosis of midgut volvulus by, 447–450
ultrafast, prenatal diagnosis of midgut volvulus by sonography and magnetic resonance imaging and, 447–450
unusual case of diverticulitis complicating pregnancy at 33 weeks' gestation and, 107–112
Maternal and neonatal outcome of 100 consecutive triplet pregnancies, 225–235
Maternal plasma, detection of interleukin-6 in, in prediction of neonatal and infectious complications in preterm premature rupture of membranes, 387–392
Maternal tobacco use, neonatal-perinatal risk factors for development of persistent pulmonary hypertension of newborn in preterm newborns and, 87–92
Maternal-to-child transmission of HIV, HIV testing of, 49–57
Maturity assessment, fetal pulmonary, and neonatal outcome, in premature rupture of membranes at 32–34 weeks' gestation, relationship between, 451–458
MDI. *See* Metered dose inhaler-spacer device
Mechanical ventilation, changes in pathogenesis and prevention of chronic lung disease of prematurity and, 1–10
Mediastinal shift, contralateral, neonates presenting with, lung agenesis in, 441–446
Medical futility, delivery of care to vulnerable infant and, 12
Megakaryopoiesis, concentrations of thrombopoietin and interleukin-11 in umbilical cord blood of patients with fetal alloimmune thrombocytopenia and, 335–344
Membranes, premature rupture of. *See* Premature rupture of membranes
Metered dose inhaler-spacer device (MDI), albuterol aerosol delivered via, versus jet nebulizer in ventilated preterm neonates, prospective controlled trial of, 169–174
MHC-I antigens, immunological tolerance of human fetus and, 303
MIC. *See* Minimal inhibitory concentrations
Micronutrients, parenteral nutrition of premature infant and, 66–68
Midgut volvulus, prenatal diagnosis of, by sonography and magnetic resonance imaging, 447–450
Minimal inhibitory concentrations (MIC), antifungal susceptibility testing and correlation with clinical outcome in neonatal candidemia and, 141–146
Mitral regurgitation, cardiac disease in pregnancy and, 250–251
Mitral stenosis, cardiac disease in pregnancy and, 249–250

Mitral valve prolapse, cardiac disease in pregnancy and, 251
Monitoring
  external and internal, of uterine activity, correlation of, in term patients, 137–140
  parenteral nutrition of premature infant and, 69
Morbidity
  neonatal, relationship between fetal pulmonary maturity assessment and neonatal outcome in premature rupture of membranes at 32–34 weeks' gestation and, 451–458
  perinatal, outcome of twin pregnancies with extreme weight discordancy and, 427–432
Morbidity, infectious, detection of interleukin-6 in maternal plasma predicts neonatal and infectious complications in preterm premature rupture of membranes and, 387–392
Mosaicism, chromosomal, in pregnant woman treated with acyclovir for herpes simplex encephalitis, 179–184
MRI. *See* Magnetic resonance imaging
Mucinous appendicular cystadenocarcinoma and pregnancy, 155–158
Multiple gestation. *See also* Triplet pregnancy; Twin pregnancy
  correlation between prenatal and neonatal birth order in twin pregnancy and, 151–154
  single versus repeated-course antenatal corticosteroids in, 267–278
Multispot HIV-1/HIV-2, expedited HIV testing and, 52
Myocardial infarction, cardiac disease in pregnancy and, 258–259
Myth of transient hypertension, 73–78

Nebulizer, jet, albuterol aerosol delivered via metered dose inhaler-spacer device versus, in ventilated preterm neonates, prospective controlled trial of, 169–174
Necrosis, hemorrhagic, prenatal diagnosis of midgut volvulus by sonography and magnetic resonance imaging and, 447–450
Neonatal and maternal outcome of 100 consecutive triplet pregnancies, 225–235
Neonatal and prenatal birth order in twin pregnancy, correlation between, 151–154
Neonatal Behcets disease, unusual presentation of, 287–292
Neonatal blood chemistry reference ranges, reappraisal of, using nova M electrodes, 433–440
Neonatal candidemia, antifungal susceptibility testing and correlation with clinical outcome in, 141–146
Neonatal complications in preterm premature rupture of membranes, detection of interleukin-6 in maternal plasma in prediction of, 387–392
Neonatal intensive care unit (NICU), prospective controlled trial of albuterol aerosol delivered via metered dose inhaler-spacer device (MDI) versus jet nebulizer in ventilated preterm neonates and, 169–174
Neonatal lupus erythematosus (NLE) in association with anti-RNP antibody, 421–426
Neonatal morbidity, relationship between fetal pulmonary maturity assessment and neonatal outcome in premature rupture of membranes at 32–34 weeks' gestation and, 451–458
Neonatal outcome and fetal pulmonary maturity assessment in premature rupture of membranes at 32–34 weeks' gestation, relationship between, 451–458
Neonatal-perinatal risk factors for development of persistent pulmonary hypertension of newborn in preterm newborns, 87–92
Neonates. *See also* Newborn infants
  concentrations of thrombopoietin and interleukin-11 in umbilical cord blood of patients with fetal alloimmune thrombocytopenia and, 335–344
  precision of new thermometer for rapid rectal temperature measurement in, 103–106
  presenting with contralateral mediastinal shift, lung agenesis in, 441–446
  preterm. *See* Preterm infants
  with 13q-deletion, aneurysm of ductus arteriosus in, 11–14
  term, nucleated red blood cell counts in, with umbilical artery pH less than or equal to 7.00, 93–98
New vaccine schedule, response to hepatitis B vaccine in preterm infants and, 379–386
Newborn bacterial infection, interleukin-6 and interleukin-8 in, 313–324
Newborn infants. *See also* Neonates
  asphyxiated, with hypoglycemia, transient hyperinsulinism in, 175–178
  HIV testing of, pilot study of expedited HIV-1 testing of women in labor at inner-city hospital in New York City and, 49–57
  persistent pulmonary hypertension of. *See* Persistent pulmonary hypertension of newborn
  precision of new thermometer for rapid rectal temperature measurement in neonates and, 103–106
  preterm. *See* Preterm infants
  term. *See* Term newborns
  who respond to inhaled nitric oxide, acute decrease in cerebral blood flow velocity in, 185–194
NICU. *See* Neonatal intensive care unit
Nitric oxide, inhaled, acute decrease in cerebral blood flow velocity in newborns who respond to, 185–194
NLE. *See* Neonatal lupus erythematosus
Nonspecific reduction of systemic immunoreactivity, immunological tolerance of human fetus and, 304–305
Nonstress tests, reactive, and oligohydramnios, lack of relationship between variable decelerations during, 129–136
Nova M electrodes, reappraisal of neonatal blood chemistry reference ranges using, 433–440
NRBC counts. *See* Nucleated red blood cell counts
Nucleated red blood cell (NRBC) counts in term neonates with umbilical artery pH less than or equal to 7.00, 93–98
Nutient-drug interaction, parenteral nutrition of premature infant and, 69
Nutrition
  chronic lung disease of prematurity and, 5–6
  parenteral. *See* Parenteral nutrition

Obstetric-pediatrics center, specialized, perinatal management of fetal cardiac anomalies in, 363–372
Obstruction, bladder outlet, caused by ureterocele associated with hydrocolpos and imperforate hymen, prenatal sonographic diagnosis of, 15–22

OCA. *See* Oculocutaneous albinism
Oculocutaneous albinism (OCA), DNA diagnosis and management of Hermansky–Pudlak syndrome in pregnancy and, 159–162
Oligohydramnios and reactive nonstress tests, lack of relationship between variable decelerations during, 129–136
Ovarian cyst in premature infant treated with spironolactone, 353–356

Palivizumab, compliance with, in high-risk infants, factors predicting, 345–352
Palsy, unilateral diaphragmatic, in association with subclavian vein thrombus, in very low birth weight infant, 459–464
Paralysis
  diaphragm, unilateral diaphragmatic palsy in association with subclavian vein thrombus in very-low-birth-weight infant and, 459–464
  phrenic nerve, 459–463
Parenteral nutrition
  complications of, 68–69
  feeding of premature infant and, 59–72
Parents
  delivery of care to vulnerable infant and, 123–125
  rights of, limits of viability and, 117–128
Parvovirus B19, human, in cord blood of premature infants, 237–240
Patent ductus arteriosus (PDA)
  cardiac disease in pregnancy and, 251
  changes in pathogenesis and prevention of chronic lung disease of prematurity and, 1–10
  chronic lung disease of prematurity and, 5
Pathogenesis and prevention of chronic lung disease of prematurity, changes in, 1–10
Pathological acidemia, nucleated red blood cell counts in term neonates with umbilical artery pH less than or equal to 7.00 and, 93–98
PCR. *See* Polymerase chain reaction
PDA. *See* Patent ductus arteriosus
Pediatrics-obstetric center, specialized, perinatal management of fetal cardiac anomalies in, 363–372
Penguin thermometer, 103–105
Percutaneous line catheter, unilateral diaphragmatic palsy in association with subclavian vein thrombus in very-low-weight infant and, 459–464
Perinatal ethics, limits of viability and, 117–128
Perinatal infections, chronic lung disease of prematurity and, 4
Perinatal management of fetal cardiac anomalies in specialized obstetric-pediatrics center, 363–372
Perinatal morbidity, outcome of twin pregnancies with extreme weight discordancy and, 427–432
Perinatal outcome, adverse, of twin pregnancies according to chorionicity, 23–38
Perinatal-neonatal risk factors for development of persistent pulmonary hypertension of newborn in preterm newborns, 87–92
Peripartum cardiomyopathy (PPCM)
  cardiac disease in pregnancy and, 252–253
  in pregnancy, 163–168
Periventricular leukomalacia, cystic, late-onset, in premature infants, 79–86
Persistent pulmonary hypertension of newborn (PPHN)
  decrease in cerebral blood flow velocity in newborns who respond to inhaled nitric oxide and, 185–194
  in preterm newborns, neonatal-perinatal risk factors for development of, 87–92
pH, umbilical artery, less than or equal to 7.00, nucleated red blood cell counts in term neonates with, 93–98
Phototherapy, transepidermal water loss and skin hydration in preterm infants during, 393–396
Phrenic nerve paralysis, 459–463
Pilot study of expedited HIV-1 testing of women in labor at inner-city hospital in New York City, 49–57
Placental pathology, twin pregnancies and, 33–34
Plasma, maternal, detection of interleukin-6 in, in prediction of neonatal and infectious complications, 387–392
Platelet determination, thrombopoietin levels of thrombocytopenic term and preterm newborns with infection and, 281
Platelet storage pool disorder, DNA diagnosis and management of Hermansky–Pudlak syndrome in pregnancy and, 159–162
Polymerase chain reaction (PCR), human parvovirus B19 in cord blood of premature infants and, 237–240
Polyradiculoneuropathy, acute inflammatory, demyelinating, in early pregnancy, 213–216
Posterior fossa, first-trimester transvaginal ultrasonographic diagnosis of Dandy–Walker malformation and, 373–378
PPCM. *See* Peripartum cardiomyopathy
PPH. *See* Primary pulmonary hypertension
PPHN. *See* Persistent pulmonary hypertension of newborn
PPROM. *See* Preterm premature rupture of membranes
Precision of new thermometer for rapid rectal temperature measurement in neonates, 103–106
Preconceptual counseling, cardiac disease in pregnancy and, 245–266
Preeclampsia, myth of transient hypertension and, 73–78
Pregnancy
  accuracy of single ultrasound parameters in detection of fetal growth restriction and, 325–334
  cardiac disease in, 245–266
  cardiomyopathy in, retrospective study of, 163–168
  diverticulitis as complication of, at 33 weeks' gestation, 107–112
  DNA diagnosis and management of Hermansky–Pudlak syndrome in, 159–162
  early, acute inflammatory demyelinating polyradiculoneuropathy in, 213–216
  mucinous appendicular cystadenocarcinoma and, 155–158
  multiple-gestation, single versus repeated-course antenatal corticosteroids in, 267–278
  outcome of, three-dimensional measurement of gestational and yolk sac volumes as predictors of, in first trimester, 203–212
  singleton, single versus repeated-course antenatal corticosteroids in, 267–278
  triplet, 100 consecutive, maternal and neonatal outcome of, 225–235
  twin. *See* Twin pregnancy

Pregnancy counseling, cardiac disease in pregnancy and, 247–248
Pregnancy induced hypertension, myth of transient hypertension and, 73–78
Pregnant woman treated with acyclovir for herpes simplex encephalitis, chromosomal mosaicism in, 179–184
Premature infants. *See also* Prematurity; Preterm infants
  combination thrombolytic and anticoagulant therapy for bilateral renal vein thrombosis in, 293–297
  factors predicting compliance with palivizumab in high-risk infants and, 345–352
  human parvovirus B19 in cord blood of, 237–240
  late-onset cystic periventricular leukomalacia in, 79–86
  from TPN to breast feeding in feeding of, 59–72
  treated with spironolactone, ovarian cyst in, 353–356
Premature rupture of membranes (PROM)
  at 32–34 weeks' gestation, relationship between fetal pulmonary maturity assessment and neonatal outcome in, 451–458
  evidence-based approach to clinical care in, 397–413
  preterm. *See* Preterm premature rupture of membranes
  prolonged, neonatal-perinatal risk factors for development of persistent pulmonary hypertension of newborn in preterm newborns and, 87–92
Prematurity. *See also* Premature infants; Preterm infants
  chronic lung disease of, changes in pathogenesis and prevention of, 1–10
  transient fetal hypothyroidism due to direct fetal administration of amiodarone for drug resistant fetal tachycardia and, 113–116
Prenatal and neonatal birth order in twin pregnancy, correlation between, 151–154
Prenatal diagnosis
  chromosomal mosaicism in pregnant woman treated with acyclovir for herpes simplex encephalitis and, 179–184
  of congenital diaphragmatic eventration by magnetic resonance imaging, 241–244
  EXIT procedure in twin gestation and, 357–362
  first-trimester transvaginal ultrasonographic diagnosis of Dandy–Walker malformation and, 373–378
  of midgut volvulus by sonography and magnetic resonance imaging, 447–450
  perinatal management of fetal cardiac anomalies in specialized obstetric-pediatrics center and, 363–372
  sonographic, of bladder outlet obstruction, caused by ureterocele associated with hydrocolpos and imperforate hymen, 15–22
Preterm infants. *See also* Premature infants; Prematurity
  late-onset cystic periventricular leukomalacia in premature infants and, 79–86
  persistent pulmonary hypertension of newborn in, neonatal-perinatal risk factors for development of, 87–92
  response to hepatitis B vaccine in, four-dose schedule and, 379–386
  thrombocytopenic, with infection, thrombopoietin levels of, 279–286
  thrombopoietin levels of, 279–286
  transepidermal water loss and skin hydration in, during phototherapy, 393–396
  ventilated, albuterol aerosol delivered via metered dose inhaler-spacer device versus jet nebulizer in, prospective controlled trial of, 169–174
Preterm premature rupture of membranes (PPROM), detection of interleukin-6 in maternal plasma in prediction of neonatal and infectious complications in, 387–392
Previable period, premature rupture of membranes and, 407–408
Primary pulmonary hypertension (PPH), cardiac disease in pregnancy and, 255–256
Prognosis, hygroma colli cysticum and, 415–420
Prolonged premature rupture of membranes, neonatal-perinatal risk factors for development of persistent pulmonary hypertension of newborn in preterm newborns and, 87–92
PROM. *See* Premature rupture of membranes
Protein
  complement regulatory, immunological tolerance of human fetus and, 305–306
  parenteral nutrition of premature infant and, 60–64
Pulmonary hypertension
  of newborn, persistent. *See* Persistent pulmonary hypertension of newborn
  primary, cardiac disease in pregnancy and, 255–256
Pulmonary maturity assessment, fetal, and neonatal outcome, in premature rupture of membranes at 32–34 weeks' gestation, relationship between, 451–458
Pulmonary stenosis, cardiac disease in pregnancy and, 255
Pulmonary studies, biochemical fetal, relationship between fetal pulmonary maturity assessment and neonatal outcome in premature rupture of membranes at 32–34 weeks' gestation and, 451–458
Pulmonary vascular resistance, neonatal-perinatal risk factors for development of persistent pulmonary hypertension of newborn in preterm newborns and, 87–92

Rapid rectal temperature measurement in neonates, precision of new thermometer for, 103–106
RD. *See* Restrictive dermopathy
Reactive nonstress tests and oligohydramnios, lack of relationship between variable decelerations during, 129–136
Rectal temperature measurement, rapid, in neonates, precision of new thermometer for, 103–106
Red blood cell counts, nucleated, in term neonates with umbilical artery pH less than or equal to 7.00, 93–98
Regurgitation
  aortic, cardiac disease in pregnancy and, 254
  mitral, cardiac disease in pregnancy and, 250–251
Renal vein thrombosis, bilateral, in premature infant, combination thrombolytic and anticoagulant therapy for, 293–297
Repeated-course antenatal corticosteroids in singleton and multiple-gestation pregnancies, 267–278
Repetitive antenatal corticosteroids, single versus repeated-course antenatal corticosteroids and, 267–278
Repetitive antenatal steroids, single versus repeated-course antenatal corticosteroids and, 267–278

Respiratory syncytial virus (RSV), factors predicting compliance with palivizumab in high-risk infants and, 345–352
Restrictive dermopathy (RD), case report, subject review with Kaplan–Meier analysis, and differential diagnosis of lethal congenital contractural syndromes and, 39–48
RF. *See* Risk factor
Risk factor (RF) assessment versus universal screening for gonorrhea and chlamydia in third trimester, 465–467
RSV. *See* Respiratory syncytial virus
Rupture
of liver, spontaneous, presenting as scrotal bruising, 147–150
of membranes, premature. *See* Premature rupture of membranes

Screening, universal, versus risk factor assessment, for gonorrhea and chlamydia in third trimester, 465–467
Scrotal bruising, spontaneous rupture of liver presenting as, 147–150
Second trimester
growth discordancy in, twin pregnancies and, 29–30
late, ultrasonographic femur–tibial length ratio as marker of Down syndrome from, 217–224
Sepsis, interleukin-6 and interleukin-8 in newborn bacterial infection and, 313–324
Serum IgM and IgA levels, human parvovirus B19 in cord blood of premature infants and, 238
Sexually transmitted disease (STD), risk factor assessment versus universal screening for gonorrhea and chlamydia in third trimester and, 465–468
Single ultrasound parameters, accuracy of, in detection of fetal growth restriction, 325–334
Single Use Diagnostic System (SUDS), expedited HIV testing and, 51–52
Single versus repeated-course antenatal corticosteroids in singleton and multiple-gestation pregnancies, 267–278
Singleton pregnancies, single versus repeated-course antenatal corticosteroids in, 267–278
Skin hydration, transepidermal water loss and, in preterm infants during phototherapy, 393–396
Sonographic diagnosis, prenatal, of bladder outlet obstruction, caused by ureterocele associated with hydrocolpos and imperforate hymen, 15–22
Sonography, prenatal diagnosis of midgut volvulus by, 447–450
Specialized obstetric-pediatrics center, perinatal management of fetal cardiac anomalies in, 363–372
Spironolactone, ovarian cyst in premature infant treated with, 353–356
Spontaneous abortion, influence of hemostatic factors on, 195–202
Spontaneous rupture of liver, presenting as scrotal bruising, 147–150
Spontaneous umbilical cord hematoma as rare cause of acute fetal distress, 99–102
STD. *See* Sexually transmitted disease
Stenosis
aortic, cardiac disease in pregnancy and, 253–254
mitral, cardiac disease in pregnancy and, 249–250
pulmonary, cardiac disease in pregnancy and, 255
Steroids
antenatal, neonatal-perinatal risk factors for development of persistent pulmonary hypertension of newborn in preterm newborns and, 87–92
repetitive antenatal, single versus repeated-course antenatal corticosteroids and, 267–278
Subclavian vein thrombus, unilateral diaphragmatic palsy in association with, in very low birth weight infant, 459–464
Surfactant, exogenous, chronic lung disease of prematurity and, 4–5
Susceptibility testing, antifungal, and correlation with clinical outcome in neonatal candidemia, 141–146
Systemic immunoreactivity, nonspecific reduction of, immunological tolerance of human fetus and, 304–305

Tachycardia, fetal, drug resistant, transient fetal hypothyroidism due to direct fetal administration of amiodarone for, 113–116
Temperature, rapid rectal, in neonates, precision of new thermometer for, 103–106
Term newborns
correlation of external and internal monitoring of uterine activity in, 137–140
nucleated red blood cell counts in, with umbilical artery pH less than or equal to 7.00, 93–98
thrombocytopenic, with infection, thrombopoietin levels of, 279–286
TEWL. *See* Transepidermal water loss
Thermometer, new, precision of, for rapid rectal temperature measurement in neonates, 103–106
Third trimester, risk factor assessment versus universal screening for gonorrhea and chlamydia in, 465–467
13q-deletion, aneurysm of ductus arteriosus in neonate with, 11–14
Three-dimensional measurement of gestational and yolk sac volumes as predictors of pregnancy outcome in first trimester, 203–212
Three-dimensional volumetry, three-dimensional measurement of gestational and yolk sac volumes as predictors of pregnancy outcome in first trimester and, 203–212
Thrombocytopenia, fetal alloimmune, concentrations of thrombopoietin and interleukin-11 in umbilical cord blood of patients with, 335–344
Thrombocytopenic term and preterm newborns with infection, thrombopoietin levels of, 279–286
Thrombolytic therapy and anticoagulant therapy combination for bilateral renal vein thrombosis in premature infant, 293–297
Thrombopoietin (TPO)
concentrations of, in umbilical cord blood of patients with fetal alloimmune thrombocytopenia, 335–344
levels of, of thrombocytopenic term and preterm newborns with infection, 279–286
Thrombosis
renal vein, bilateral, in premature infant, combination thrombolytic and anticoagulant therapy for, 293–297
subclavian vein, unilateral diaphragmatic palsy in association with subclavian vein thrombus in very-low-weight infant and, 459–464

Thrombus, subclavian vein, unilateral diaphragmatic palsy in association with, in very low birth weight infant, 459–464
Thyroxine, transient fetal hypothyroidism due to direct fetal administration of amiodarone for drug resistant fetal tachycardia and, 113–116
Tibial length–femur ratio, ultrasonographic, as marker of Down syndrome from late second trimester, 217–224
Tobacco use, maternal, neonatal-perinatal risk factors for development of persistent pulmonary hypertension of newborn in preterm newborns and, 87–92
Tocodynamometry, external, correlation of external and internal monitoring of uterine activity in cohort of term patients and, 137–140
Tocolysis, premature rupture of membranes and, 406
Tolerance, immunological, of human fetus, 299–312
TPA, combination thrombolytic and anticoagulant therapy for bilateral renal vein thrombosis in premature infants and, 293–297
TPN, feeding of premature infant and, 59–72
TPO. *See* Thrombopoietin
Transepidermal water loss (TEWL) and skin hydration in preterm infants during phototherapy, 393–396
Transient fetal hypothyroidism due to direct fetal administration of amiodarone for drug resistant fetal tachycardia, 113–116
Transient hyperinsulinism in asphyxiated newborn infant with hypoglycemia, 175–178
Transient hypertension, myth of, 73–78
Transvaginal ultrasonographic diagnosis of Dandy–Walker malformation in first trimester, 373–378
TRAP. *See* Twin reverse arterial perfusion
Trimester
  first. *See* First trimester
  second. *See* Second trimester
  third, risk factor assessment versus universal screening for gonorrhea and chlamydia in, 465–467
Triplet pregnancy, 100 consecutive, maternal and neonatal outcome of, 225–235
Trisomy, chromosomal mosaicism in pregnant woman treated with acyclovir for herpes simplex encephalitis and, 179–184
Trisomy 21, ultrasonographic femur–tibial length ratio as marker of Down syndrome from late second trimester and, 217–224
Twin pregnancy
  adverse perinatal outcome of, according to chorionicity, 23–38
  correlation between prenatal and neonatal birth order in, 151–154
  exit procedure in, 357–362
  outcome of, with extreme weight discordancy, 427–432
Twin reverse arterial perfusion (TRAP), twin-twin transfusion in, 33
Twins, dichorionic, twin-twin transfusion in, 32–33
Twin-twin transfusion syndrome, 32–33

Ultrafast magnetic resonance imaging, prenatal diagnosis of midgut volvulus by sonography and magnetic resonance imaging and, 447–450
Ultrasonographic depiction of chorionicity, first-trimester, twin pregnancies and, 25–26
Ultrasonographic diagnosis, transvaginal, of Dandy–Walker malformation, in first trimester, 373–378
Ultrasonographic femur–tibial length ratio as marker of Down syndrome from late second trimester, 217–224
Ultrasonography, Doppler, decrease in cerebral blood flow velocity in newborns who respond to inhaled nitric oxide and, 185–194
Ultrasound
  accuracy of, in detection of fetal growth restriction, 325–334
  cerebral blood flow velocity in newborns and, 186–193
  correlation between prenatal and neonatal birth order in twin pregnancy and, 151–154
  hygroma colli cysticum and, 415–420
  prenatal sonographic diagnosis of bladder outlet obstruction caused by ureterocele associated with hydrocolpos and imperforate hymen and, 15–22
Umbilical artery pH less than or equal to 7.00, nucleated red blood cell counts in term neonates with, 93–98
Umbilical cord blood
  concentrations of thrombopoietin and interleukin-11 in, of patients with fetal alloimmune thrombocytopenia, 335–344
  of premature infants, human parvovirus B19 in, 237–240
  reappraisal of neonatal blood chemistry reference ranges using nova M electrodes and, 433–440
Umbilical cord hematoma, spontaneous, as rare cause of acute fetal distress, 99–102
Unilateral diaphragmatic palsy in association with subclavian vein thrombus in very low birth weight infant, 459–464
Universal screening versus risk factor assessment for gonorrhea and chlamydia in third trimester, 465–467
Ureterocele associated with hydrocolpos and imperforate hymen, prenatal sonographic diagnosis of bladder obstruction caused by, 15–22
Uterine activity, correlation of external and internal monitoring of, in term patients, 137–140

Vaccine, hepatitis B, response to, in preterm infants, four-dose schedule and, 379–386
Variable decelerations during reactive nonstress tests and oligohydramnios, lack of relationship between, 129–136
Vascular resistance, pulmonary, neonatal-perinatal risk factors for development of persistent pulmonary hypertension of newborn in preterm newborns and, 87–92
Venous blood, reappraisal of neonatal blood chemistry reference ranges using nova M electrodes and, 433–440
Ventilated preterm neonates, albuterol aerosol delivered via metered dose inhaler-spacer device versus jet nebulizer in, prospective controlled trial of, 169–174
Ventilation
  gentle, chronic lung disease of prematurity and, 5
  mechanical, changes in pathogenesis and prevention of chronic lung disease of prematurity and, 1–10
Ventricular septal defect (VSD), cardiac disease in pregnancy and, 255

Very-low-birth-weight (VLBW) infant, unilateral diaphragmatic palsy in association with subclavian vein thrombus in, 459–464
Viability, limits of, 117–128
Virus, respiratory syncytial, factors predicting compliance with palivizumab in high-risk infants and, 345–352
VLBW infant. *See* Very-low-birth-weight infant
Volumetry, three-dimensional, three-dimensional measurement of gestational and yolk sac volumes as predictors of pregnancy outcome in first trimester and, 203–212
Volvulus, midgut, prenatal diagnosis of, by sonography and magnetic resonance imaging, 447–450
VSD. *See* Ventricular septal defect

Water loss, transepidermal, and skin hydration in preterm infants, during phototherapy, 393–396
Weight discordancy, extreme, outcome of twin pregnancies with, 427–432
White matter damage, late-onset cystic periventricular leukomalacia in premature infants and, 79–86
Women in labor, pilot study of expedited HIV-1 testing of, at inner-city hospital in New York City, 49–57

Yolk sac (YS) volumes, three-dimensional measurement of, as predictors of pregnancy outcome in first trimester, 203–212
YS. *See* Yolk sac

Zygosity, twin pregnancies and, 25